Nuclear Engineering and Design 115 (1989) 387–388
North-Holland, Amsterdam



# AUTHOR INDEX TO VOLUME 115

Aguilar, J., see Lepareux 115 (1989) 105
Alexander, C., see Burson 115 (1989) 305
Alexander, D.J., see Iskander 115 (1989) 349
Andrew, S.P., see Eason 115 (1989) 23
Apostolakis, G.E., Uncertainty in probabilistic safety assessment 115 (1989) 173
Arendts, J.G., see Steele, Jr. 115 (1989) 339

Barr, P., see Fullard 115 (1989) 113
Bass, B.R., see Bryan 115 (1989) 359
Belytschko, T., see Pfeiffer 115 (1989) 73
Boccio, J.L., see Hall 115 (1989) 201
Bogdanoff, J.L., see Kozin 115 (1989) 143
Bolt, S.E., see Bryan 115 (1989) 359
Bolt, S.E., see Iskander 115 (1989) 349
Borgerhoff, M., see Schimmelpfennig 115 (1989) 49
Bowen, W.M., see Kurtz 115 (1989) 369
Bradley, D., see Burson 115 (1989) 305
Bradley, E.R., see Kurtz 115 (1989) 369
Brockmann, J., see Burson 115 (1989) 305
Brosi, S., see Wanner 115 (1989) 1
Bryan, R.H., B.R. Bass, S.E. Bolt, J.W. Bryson, W.R. Corwin, R.K. Nanstad, J.G. Merkle and G.C. Robinson, Performance of low-upper-shelf material under pressurized-thermal-shock loading 115 (1989) 359
Bryson, J.W., see Bryan 115 (1989) 359
Burson, S.B., D. Bradley, J. Brockmann, E. Copus, D. Powers, G. Greene and C. Alexander, United States Nuclear Regulatory Commission Research Program on molten core debris interactions in the reactor cavity 115 (1989) 305

Cook, K.V., see Iskander 115 (1989) 349
Copus, E., see Burson 115 (1989) 305
Corwin, W.R., see Bryan 115 (1989) 359
Corwin, W.R., see Iskander 115 (1989) 349
Couilleaux, J., see Lepareux 115 (1989) 105
Crapo, H.S., Containment penetration system (CPS) valve tests under accident loads 115 (1989) 331
Cremonini, M.G., see Vardanega 115 (1989) 91
Crutzen, S., P. Jehenson, R.W. Nichols and N. McDonald, The major results of the PISC II RRT 115 (1989) 7

Daling, P.M. and W.C. Milstead, Application of a methodology to determine priorities of nuclear power plant safety issues 115 (1989) 273
Diercks, D.R., Effect of decontamination on aging processes and considerations for life extension 115 (1989) 207
Duboelle, D., see Lepareux 115 (1989) 105

Eason, E.A., S.P. Andrew, S.B. Warmbrodt, E.E. Nelson and J.D. Gilman, Analysis of pressure vessel steel fatigue tests in air 115 (1989) 23

Fiala, C., see Pfeiffer 115 (1989) 73
Fullard, K. and P. Barr, Development of design guidance for low velocity impacts on concrete floors 115 (1989) 113

Gilman, J.D., see Eason 115 (1989) 23
Greene, G., see Burson 115 (1989) 305
Griffith, P. and J.C. Sununu, Wear in check valves due to flow induced motion 115 (1989) 323
Gunther, W., see Hall 115 (1989) 201

Hall, R.E. W. Gunther and J.L. Boccio, Managing the effects of aging and reliability improvement 115 (1989) 201

Inoue, N., see Ohomori 115 (1989) 61
Iskander, S.K., D.J. Alexander, S.E. Bolt, K.V. Cook, W.R. Corwin, B.C. Oland, R.K. Nanstad and G.C. Robinson, Effects of commercial cladding on the fracture behaviour of pressure vessel steel plates 115 (1989) 349

Jackson, W.D., see Neimark 115 (1989) 315
Jamet, Ph., see Lepareux 115 (1989) 105
Jehenson, P., see Crutzen 115 (1989) 7
Johnston, B.D., see Watson 115 (1989) 133

Kennedy, J.M., see Pfeiffer 115 (1989) 73
Kishida, K., see Norris 115 (1989) 41
Kozin, F. and J.L. Bogdanoff, Probabilistic models of fatigue crack growth: Results and speculations 115 (1989) 143
Kulak, R.F., see Pfeiffer 115 (1989) 73
Kurihara, K., see Ohomori 115 (1989) 61

Kurtz, R.J., E.R. Bradley, F.A. Simonen and W.M. Bowen, Surrey Steam Generator Program: Final results, evaluation of NDE performance, and technical basis for improved ISI and plugging criteria 115 (1989) 369

Lepareux, M., Ph. Jamet, Ph. Matheron, J.L. Lieutenant, J. Couilleaux, D. Duboelle and J. Aguilar, Experimental and numerical studies of impacts on stainless steel plates subjected to rigid missiles at low velocity 115 (1989) 105
Lieutenant, J.L., see Lepareux 115 (1989) 105
Loewenstein, W.B., see Rubio 115 (1989) 219
Luciani, A., see Vardanega 115 (1989) 91

Marchertas, A.H., see Pfeiffer 115 (1989) 73
Matheron, Ph., see Lepareux 115 (1989) 105
McDonald, N., see Crutzen 115 (1989) 7
Mercier, O., see Wanner 115 (1989) 1
Merkle, J.G., see Bryan 115 (1989) 359
Milstead, W.C., see Daling 115 (1989) 273
Mirone, M., see Vardanega 115 (1989) 91

Nanstad, R.K., see Bryan 115 (1989) 359
Nanstad, R.K., see Iskander 115 (1989) 349
Neimark, L.A., R.V. Strain, J.E. Sanecki and W.D. Jackson, The microstructural and microchemical characterization of samples from the TMI-2 core 115 (1989) 315
Nelson, E.E., see Eason 115 (1989) 23
Nichols, R.W., see Crutzen 115 (1989) 7
Niehaus, F., Prospects for use of probabilistic safety criteria 115 (1989) 181
Norris, D.M. and K. Kishida, Evaluation of flaws in nuclear piping 115 (1989) 41

Oehlberg, R., see Rubi 115 (1989) 219
Ogura, N., see Sakai 115 (1989) 31
Ohomori, N., H. Tsubota, N. Inoue, K. Kurihara and S. Watanabe, Reinforced concrete membrane elements subjected to reversed cyclic in-plane shear stress 115 (1989) 61
Oland, B.C., see Iskander 115 (1989) 349
Ott, L.J., Advanced severe accident response models for BWR application 115 (1989) 289

Pfeiffer, P.A., R.F. Kulak, J.M. Kennedy, A.H. Marchertas, C. Fiala and T. Belytschko, Pretest analysis of a 1:6-scale reinforced concrete containment model subject to pressurization 115 (1989) 73
Powers, D., see Burson 115 (1989) 305

Riera, J.D., Penetration, scabbing and perforation of concrete structures hit by solid missiles 115 (1989) 121
Robinson, G.C., see Bryan 115 (1989) 359
Robinson, G.C., see Iskander 115 (1989) 349
Rösel, R., see Wanner 115 (1989) 1
Rosztoczy, Z.R., Consideration of severe accidents in the licensing of nuclear power plants. 115 (1989) 193
Rubio, A., W.B. Loewenstein and R. Oehlberg, Nuclear safety research: Responsive industry results 115 (1989) 219

Sakai, Y., K. Tamanoi and N. Ogura, Application of tanh curve fit analysis to fracture toughness data of Japanese RPVS 115 (1989) 31
Sanecki, J.E., see Neimark 115 (1989) 315
Schimmelpfennig, K. and M. Borgerhoff, Investigations on the behaviour of structural parts of PCRVs as a basis for specific HTR design criteria 115 (1989) 49
Simonen, F.A., see Kurtz 115 (1989) 369
Steele, Jr, R. and J.G. Arendts, Performance of a piping system and equipment in the HDR simulated seismic experiments 115 (1989) 339
Strain, R.V., see Neimark 115 (1989) 315
Sununu, J.C., see Griffith 115 (1989) 323

Tamanoi, K., see Sakai 115 (1989) 31
Tsubota, H., see Ohomori 115 (1989) 61

Vardanega, C., M.G. Cremonini, M. Mirone and A. Luciani, Response of buried pipes to missile impact 115 (1989) 91

Wanner, R., S. Brosi, R. Rösel and O. Mercier, Influence of model geometry on stress intensity for a cyclically thermically loaded nozzle corner crack 115 (1989) 1
Warmbrodt, S.B., see Eason 115 (1989) 23
Watanabe, S., see Ohomori 115 (1989) 61
Watson, I.A. and B.D. Johnston, Treatment of dependent failure in PSA 115 (1989) 133
Wilkins, D.R., see Wolfe 115 (1989) 281
Wolfe, B. and D.R. Wilkins, Future directions in boiling water reactor design 115 (1989) 281

Nuclear Engineering and Design 115 (1989) 389–390
North-Holland, Amsterdam



# SUBJECT INDEX TO VOLUME 115

**Engineering mechanics**

Pretest analysis of a 1:6-scale reinforced concrete containment model subject to pressurization, P.A. Pfeiffer, R.F. Kulak, J.M. Kennedy, A.H. Marchertas, C. Fiala and T. Belytschko 115 (1989) 73
Effects of commercial cladding on the fracture behaviour of pressure vessel steel plates, S.K. Iskander, D.J. Alexander, S.E. Bolt, K.V. Cook, W.R. Corwin, B.C. Oland, R.K. Nanstad and G.C. Robinson 115 (1989) 349

**Materials properties**

Analysis of pressure vessel steel fatigue tests in air, E.D. Eason, S.P. Andrew, S.B. Warmbrodt, E.E. Nelson and J.D. Gilman 115 (1989) 23
Application of tanh curve fit analysis to fracture toughness data of Japanese RPVS, Y. Sakai, K. Tamanoi and N. Ogura 115 (1989) 31
Experimental and numerical studies of impacts on stainless steel plates subjected to rigid missiles at low velocity, M. Lepareux, Ph. Jamet, Ph. Matheron, J.L. Lieutenant, J. Couilleaux, D. Duboelle and J. Aguilar 115 (1989) 105
Performance of low-upper-shelf material under pressurized-thermal-shock loading, R.H. Bryan, B.R. Bass, S.E. Bolt, J.W. Bryson, W.R. Corwin, R.K. Nanstad, J.G. Merkle and G.C. Robinson 115 (1989) 359

**Mechanical design, component fabrication and testing**

Influence of model geometry on stress intensity for a cyclically thermally loaded nozzle corner crack, R. Wanner, S. Brosi, R. Rösel and O. Mercier 115 (1989) 1
The major results of the PISC II RRT, S. Crutzen, P. Jehenson, R.W. Nichols and H. McDonald 115 (1989) 7
Evaluation of flaws in nuclear piping, D.M. Norris and K. Kishida 115 (1989) 41
Investigations on the behaviour of structural parts of PCRVs as a basis for specific HTR design criteria, K. Schimmelpfennig and M. Borgerhoff 115 (1989) 49
Response of buried pipes to missile impact, C. Vardanega, M.G. Cremonini, M. Mirone and A. Luciani 115 (1989) 91
Experimental and numerical studies of impacts on stainless steel plates subjected to rigid missiles at low velocity, M. Lepareux, Ph. Jamet, Ph. Matheron, J.L. Lieutenant, J. Couilleaux, D. Duboelle and J. Aguilar 115 (1989) 105
Wear in check valves due to flow induced motion, P. Griffith and J.C. Sununu 115 (1989) 323
Containment penetration System (CPS) valve tests under accident loads, H.S. Crapo 115 (1989) 331
Performance of a piping system and equipment in the HDR simulated seismic experiments, R. Steele, Jr. and J.G. Arendts 115 (1989) 339
Effects of commercial cladding on the fracture behaviour of pressure vessel steel plates, S.K. Iskander, D.J. Alexander, S.E. Bolt, K.V. Cook, W.R. Corwin, B.C. Oland, R.K. Nanstad and G.C. Robinson 115 (1989) 349
Performance of low-upper-shelf material under pressurized-thermal-shock loading, R.H. Bryan, B.R. Bass, S.E. Bolt, J.W. Bryson, W.R. Corwin, R.K. Nanstad, J.G. Merkle and G.C. Robinson 115 (1989) 359
Surry steam Generator Program: Final results, evaluation of NDE performance, and technical basis for improved ISI and plugging criteria, R.J. Kurtz, E.R. Bradley, F.A. Simonen and W.M. Bowen 115 (1989) 369

**Reactor concepts and systems analysis**

Prospects for use of probabilistic safety criteria, F. Niehaus 115 (1989) 181
Future directions in boiling water reactor design, B. Wolfe and D.R. Wilkins 115 (1989) 281

**Safeguard engineering**

Effect of decontamination on aging processes and considerations for life extension, D.R. Diercks 115 (1989) 207

**Structural design, construction methods and testing**

Investigations on the behaviour of structural parts of PCRVs as a basis for specific HTR design criteria, K. Schimmelpfennig and M. Borgerhoff 115 (1989) 49

Reinforced concrete membrane elements subjected to reversed cyclic in-plane shear stress, N. Ohomori, H. Tsubota, N. Inoue, K. Kurihara and S. Watanabe 115 (1989) 61
Response of buried pipes to missile impact, C. Vardanega, M.G. Cremonini, M. Mirone and A. Luciani 115 (1989) 91
Development of design guidance for low velocity impacts on concrete floors, K. Fullard and P. Barr 115 (1989) 113
Penetration, scabbing and perforation of concrete structures hit by solid missiles, J.D. Riera 115 (1989) 121

**Nuclear waste management and disposal**

Effect of decontamination on aging processes and considerations for life extension, D.R. Diercks 115 (1989) 207

**Core physics and fuel design**

The microstructural and microchemical characterization of samples from the TMI-2 core, L.A. Neimark, R.V. Strain, J.E. Sanecki and W.D. Jackson 115 (1989) 315

**Nuclear safety**

Treatment of dependent failure in PSA, I.A. Watson and B.D. Johnston 115 (1989) 133
Probabilistic models of fatigue crack growth: results and speculations, F. Kozin and J.L. Bogdanoff 115 (1989) 143
Uncertainty in probabilistic safety assessment, G.E. Apostolakis 115 (1989) 173
Prospects for use of probabilistic safety criteria, F. Niehaus 115 (1989) 181
Consideration of severe accidents in the licensing of nuclear power plants, Z.R. Rosztoczy 115 (1989) 193
Managing the effects of aging and reliability improvement, R.E. Hall, W. Gunther and J.L. Boccio 115 (1989) 201
Nuclear safety research: Responsive industry results, A. Rubio, W.B. Loewenstein and R. Oehlberg 115 (1989) 219
Application of a methodology to determine priorities of nuclear power plant safety issues, P.M. Daling and W.C. Milstead 115 (1989) 273
Advanced severe accident response models for BWR application, L.J. Ott 115 (1989) 289
United States Nuclear Regulatory Commission research program on molten core debris interactions in the reactor cavity, S.B. Burson, D. Bradley, J. Brockman, E. Copus, D. Powers, G. Greene and C. Alexander 115 (1989) 305
The microstructural and microchemical characterization of samples from the TMI-2 core, L.A. Neimark, R.V. Strain, J.E. Sanecki and W.D. Jackson 115 (1989) 315
Containment Penetration System (CPS) valve tests under accident loads, H.S. Crapo 115 (1989) 331